

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

**KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:**

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

CUSTOMIZABLE TINT BASE

000

14 fl. oz.

## WATERBASED WOOD STAIN

### PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

**VOC:** < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST  
DRYING



ONLY  
ONE COAT



EXCEPTIONAL  
COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

#### KEEP OUT OF REACH OF CHILDREN.

#### FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

010

WHOLE WHEAT

16 fl. oz.

## WATERBASED WOOD STAIN

### PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

**KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:**

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

011

CASTLE STONE

16 fl. oz.

## WATERBASED WOOD STAIN

### PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

#### KEEP OUT OF REACH OF CHILDREN.

#### FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

### 012

### CLAY

### 16 fl. oz.

## WATERBASED WOOD STAIN

### PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST  
DRYING



ONLY  
ONE COAT



EXCEPTIONAL  
COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

#### KEEP OUT OF REACH OF CHILDREN.

#### FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

# 013

## IRON EARTH

# 16 fl. oz.

## WATERBASED WOOD STAIN

# PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

**KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:**

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

### 099

### URBAN GREY

### 16 fl. oz.

## WATERBASED WOOD STAIN

### PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

**KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:**

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# 108

# BLACK

# 16 fl. oz.

# SAMAN



## WATERBASED WOOD STAIN

## WATERBASED WOOD STAIN

# PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

**KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:**

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

# 109

## WALNUT

## 16 fl. oz.

## WATERBASED WOOD STAIN

# PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

**KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:**

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

### 111

### GOLDEN WHEAT

### 16 fl. oz.

## WATERBASED WOOD STAIN

### PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

#### KEEP OUT OF REACH OF CHILDREN.

#### FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

# 112

## DARK OAK

## 16 fl. oz.

## WATERBASED WOOD STAIN

# PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

**KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:**

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

# 113

## CHERRY

## 16 fl. oz.

## WATERBASED WOOD STAIN

# PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST  
DRYING



ONLY  
ONE COAT



EXCEPTIONAL  
COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

**KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:**

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

# 116

# WHITE

# 16 fl. oz.

## WATERBASED WOOD STAIN

# PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

**KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:**

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

# 119

## CHOCOLATE

## 16 fl. oz.

## WATERBASED WOOD STAIN

# PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

**KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:**

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

**SAMAN**

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

120

DARK WALNUT

16 fl. oz.

## WATERBASED WOOD STAIN

### PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

#### KEEP OUT OF REACH OF CHILDREN.

#### FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

# 121

## AMERICAN WALNUT

### 16 fl. oz.

## WATERBASED WOOD STAIN

### PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

**KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:**

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

# 202

# CAPPUCCINO

# 16 fl. oz.

## WATERBASED WOOD STAIN

# PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

**KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:**

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

### 203

### SESAME

### 16 fl. oz.

## WATERBASED WOOD STAIN

### PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

**KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:**

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

204

HOP

16 fl. oz.

## WATERBASED WOOD STAIN

### PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

**KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:**

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

### 205

### COLONIAL

### 16 fl. oz.

## WATERBASED WOOD STAIN

### PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.

FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

**KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:**

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

### 206

### AMARETTO

### 16 fl. oz.

## WATERBASED WOOD STAIN

### PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

**KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:**

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

### 207

### COGNAC

### 16 fl. oz.

## WATERBASED WOOD STAIN

### PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- No conditioner needed
- No overlapping marks
- Just one coat
- Doesn't raise wood grain
- Exceptional coverage
- Low odor

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

**KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:**

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

### 209

### PRUNE

### 16 fl. oz.

## WATERBASED WOOD STAIN

### PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

#### KEEP OUT OF REACH OF CHILDREN.

#### FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# 210

## CANADIAN MAPLE

# 16 fl. oz.

# SAMAN



## WATERBASED WOOD STAIN

## WATERBASED WOOD STAIN

# PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

**KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:**

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

# 211

## MEDIUM BROWN

# 16 fl. oz.

## WATERBASED WOOD STAIN

# PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

## WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,  
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST  
DRYING



ONLY  
ONE COAT



EXCEPTIONAL  
COVERAGE

### FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

**KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID:**

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

# SAMAN

Victoriaville, Québec,  
Canada G6T 0T6



# SAMAN



## WATERBASED WOOD STAIN

### 212

### ANTIQUÉ WALNUT

### 16 fl. oz.

## WATERBASED WOOD STAIN

### PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

**Surface Preparation for Bare Wood:** Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

**Application:** Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

**Tip:** It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

**Coverage:** 16 oz size covers up to 100 ft<sup>2</sup>.

**Drying Time:** 2 hours under normal temperature and humidity conditions.

**Finish:** To seal and protect your work, use SAMAN TOP COAT.

**Cleaning:** Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,  
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.