

WATERBASED WOOD STAIN

PREMIUM SERIES

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-000-IG



6 27720 13350 6

SAMAN



WATERBASED WOOD STAIN

CUSTOMIZABLE TINT BASE

000

0.90 gal

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved.

Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 1 gallon size covers up to 800 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM, our conversational chatbot.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

PREMIUM SERIES

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-099-IG



6 27720 13356 8

SAMAN



WATERBASED WOOD STAIN

099

URBAN GREY

1 gal

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved.

Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 1 gallon size covers up to 800 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

PREMIUM SERIES

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM




LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-108-IG



6 27720 13352 0

108

BLACK

1 gal

SAMAN



WATERBASED WOOD STAIN

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved.

Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 1 gallon size covers up to 800 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM, our conversational chatbot.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

PREMIUM SERIES

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-111-IG



6 27720 13357 5

SAMAN



WATERBASED WOOD STAIN

111

GOLDEN WHEAT

1 gal

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved.

Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 1 gallon size covers up to 800 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM, our conversational chatbot.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

PREMIUM SERIES

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6



SAMAN



WATERBASED WOOD STAIN

113

CHERRY

1 gal

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved.

Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 1 gallon size covers up to 800 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM, our conversational chatbot.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

PREMIUM SERIES

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6



SAMAN



WATERBASED WOOD STAIN

115

PAPRIKA

1 gal

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved.

Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 1 gallon size covers up to 800 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

PREMIUM SERIES

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-116-IG



6 27720 13355 1

SAMAN



WATERBASED WOOD STAIN

116

WHITE

1 gal

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved.

Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 1 gallon size covers up to 800 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM, our conversational chatbot.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

PREMIUM SERIES

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-205-IG



6 27720 13360 5

SAMAN



WATERBASED WOOD STAIN

205

COLONIAL

1 gal

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved.

Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 1 gallon size covers up to 800 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM, our conversational chatbot.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

PREMIUM SERIES

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6



SAMAN



WATERBASED WOOD STAIN

206

AMARETTO

1 gal

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved.

Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 1 gallon size covers up to 800 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM, our conversational chatbot.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

PREMIUM SERIES

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST DRYING



ONLY ONE COAT



EXCEPTIONAL COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-209-IG



6 27720 13362 9

SAMAN



WATERBASED WOOD STAIN

209

PRUNE

1 gal

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved.

Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 1 gallon size covers up to 800 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM, our conversational chatbot.



FINISH WITH STYLE.