

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6



SAMAN



WATERBASED WOOD STAIN

CUSTOMIZABLE TINT BASE

000

28 fl. oz.

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6



SAMAN



WATERBASED WOOD STAIN

010

WHOLE WHEAT

32 fl. oz.

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-011-32



6 27720 13327 8

SAMAN



WATERBASED WOOD STAIN

011

CASTLE STONE

32 fl. oz.

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-012-32



012

CLAY

32 fl. oz.

SAMAN



WATERBASED WOOD STAIN

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-013-32



6 27720 13329 2

SAMAN



WATERBASED WOOD STAIN

013

IRON EARTH

32 fl. oz.

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-099-32



099

URBAN GREY

32 fl. oz.

SAMAN



WATERBASED WOOD STAIN

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6



SAMAN



WATERBASED WOOD STAIN

108

BLACK

32 fl. oz.

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-109-32



6 27720 13332 2

SAMAN



WATERBASED WOOD STAIN

109

WALNUT

32 fl. oz.

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-111-32



6 27720 13333 9

SAMAN



WATERBASED WOOD STAIN

111

GOLDEN WHEAT

32 fl. oz.

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-112-32



6 27720 13334 6

SAMAN



WATERBASED WOOD STAIN

112

DARK OAK

32 fl. oz.

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6



SAMAN



WATERBASED WOOD STAIN

113

CHERRY

32 fl. oz.

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-116-32



6 27720 13336 0

SAMAN



WATERBASED WOOD STAIN

116

WHITE

32 fl. oz.

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-119-32



119

CHOCOLATE

32 fl. oz.

SAMAN



WATERBASED WOOD STAIN

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- No conditioner needed
- No overlapping marks
- Just one coat
- Doesn't raise wood grain
- Exceptional coverage
- Low odor

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6



SAMAN



WATERBASED WOOD STAIN

120

DARK WALNUT

32 fl. oz.

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-121-32



6 27720 13339 1

SAMAN



WATERBASED WOOD STAIN

121

AMERICAN WALNUT

32 fl. oz.

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6



SAMAN



WATERBASED WOOD STAIN

202

CAPPUCCINO

32 fl. oz.

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6



SAMAN



WATERBASED WOOD STAIN

203

SESAME

32 fl. oz.

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6



SAMAN



WATERBASED WOOD STAIN

204

HOP

32 fl. oz.

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-205-32



6 27720 13343 8

SAMAN



WATERBASED WOOD STAIN

205

COLONIAL

32 fl. oz.

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-206-32



206

AMARETTO

32 fl. oz.

SAMAN



WATERBASED WOOD STAIN

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-207-32



6 27720 13345 2

SAMAN



WATERBASED WOOD STAIN

207

COGNAC

32 fl. oz.

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6



209

PRUNE

32 fl. oz.

SAMAN



WATERBASED WOOD STAIN

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE .



FINISH WITH STYLE .

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6

WWS-210-32



6 27720 13347 6

SAMAN



WATERBASED WOOD STAIN

210

CANADIAN MAPLE

32 fl. oz.

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6



SAMAN



WATERBASED WOOD STAIN

211

MEDIUM BROWN

32 fl. oz.

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.

WATERBASED WOOD STAIN

A WONDERFUL WORLD OF COLORFUL POSSIBILITIES,
THANKS TO OUR UNIQUE TINT SYSTEM



LOW ODOR



FAST
DRYING



ONLY
ONE COAT



EXCEPTIONAL
COVERAGE

FOR REMARKABLE AND DURABLE RESULTS

Avoid eye and skin contact.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eye Contact: Flush eyes with water. Get medical attention if irritation persists. Skin Contact: Wash with soap and water. Get medical attention if irritation persists. Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Call a physician or Poison Center for advice.

As the conditions under which the product is used are beyond our control, we can only guarantee that it fully complies with our quality standards, and the manufacturer's liability, if applicable, is limited to the purchase price of the product.

Made in Canada

SAMAN

Victoriaville, Québec,
Canada G6T 0T6



SAMAN



WATERBASED WOOD STAIN

212

ANTIQUÉ WALNUT

32 fl. oz.

WATERBASED WOOD STAIN

PREMIUM SERIES

IDEAL FOR EVERY INTERIOR PROJECT

- Waterbased
- Just one coat
- Low odor
- No conditioner needed
- Doesn't raise wood grain
- No overlapping marks
- Exceptional coverage

The SAMAN waterbased stain is formulated with a unique base that provides a rich color for interior wood surfaces: furniture, cabinets, doors, moldings, and floors.

Surface Preparation for Bare Wood: Sand the bare wood following the wood grain with #120 sandpaper, then with #150 sandpaper. Carefully remove all sanding dust before staining the wood.

Application: Shake well before use. Pour a small amount of stain onto a sponge and apply following the wood grain. Wipe off excess with a soft, clean cloth. Work on small sections at a time to prevent the stain from drying between applications.

Tip: It is recommended to test the stain in an inconspicuous area beforehand to determine if the desired color and effect are achieved. Note that the final color will be determined by the natural color of the wood species, which varies from one to another.

Coverage: 32 oz size covers up to 200 ft².

Drying Time: 2 hours under normal temperature and humidity conditions.

Finish: To seal and protect your work, use SAMAN TOP COAT.

Cleaning: Clean tools with warm soapy water.

VOC: < 250 g/L

For any additional questions, please consult SAM,
our conversational chatbot.



FINISH WITH STYLE.



FINISH WITH STYLE.